

# GENESIS

**HAND HELD DIRECTIONAL**

now with optional

**INTERACTIVE LED DISPLAY**

**This compact unit offers superb quality of manufacturer together with an impressive specification including an operator selectable direction sensing capability all at an incredible competitive price.**

**Supplied with a waist worn rechargeable battery pack giving at least 12 hours use in normal operation.**

**The direction sensing technology allows the operator to isolate the traffic flow being monitored from other traffic movement at a touch of a button.**



- **Direction sensing**
- **Simple to use.**
- **Displays approaching & receding traffic.**
- **Isolates traffic in one direction.**
- **Easy to read LCD display.**
- **32-bit DSP for fast target acquisition**
- **Rugged polycarbonate housing.**
- **Pure audio Doppler.**
- **OFCOM certified.**

**UNIPAR SERVICES**  
[www.uniparservices.com](http://www.uniparservices.com)

**The Genesis also features audio Doppler to provide even better target selection, as well as automatic backlight, RFI (interference) detection all in a weatherproof impact resistant IP65 polycarbonate housing.**

## **INTERACTIVE LED DISPLAY**


**Exclusively designed to work with the Genesis hand-held radar the new lightweight & compact LED sign has been designed for ultimate portability. Coming with its own hard carry case for easy transportation and storage it can be deployed in a matter of minutes. Included in the case is a compact fold away tripod for easy and convenient roadside mounting.**

**Once connected the speed on Genesis is also shown on the LED sign. This has a huge impact on driver awareness**

## **GENESIS SPECIFICATIONS**

**POWER:** 12volt rechargeable power Pack  
**ACCURACY:** +/- 1 MPH  
**SPEED RANGE:** 12-210 MPH  
**FREQUENCY:** K-Band 24.2 Ghz  
**BEAM WIDTH:** 12 degrees nominal  
**OPERATING TEMP:** -30 to +40C  
**DIMENSIONS:** 8 x 20 x 18 cms  
**WIEGHT:** 650g  
**UK APROVALS:** EN301489-3  
EN300440-1 EN60950-1

**SUPPLIED WITH:**  
Rechargeable battery pack.  
Charger.  
Tuning fork.  
Calibration certificates.  
Carry case.



**UNIPAR SERVICES TEL:01892 549606**  
email: [admin@uniparservices.com](mailto:admin@uniparservices.com)



**drawing attention to the local speed restrictions and positively effecting the way the driver behaves.**

**The operator can pre-set a threshold ensuring that the display only shows a speed in excess of the chosen limit.**

**The sign dims in conjunction with the ambient light condition as well as indicating battery status.**

## **SIGN SPECIFICATIONS**

**POWER:** 12volt rechargeable power Pack  
**SIGN SIZE :** 51 x 31 x 3 CMS  
**CHARACTER HEIGHT:** 27CMS  
**WEIGHT:** <2KG  
**DISPLAY SPEED RANGE:** 5 to 199 mph/kph  
**LEDs:** Ultrabright auto-dimming

**SUPPLIED WITH:**  
Rechargeable battery pack.  
Charger.  
Tripod.  
Connecting cable.  
Carry case.

**Now with the option of a remote transmitter for wireless connection to the sign of distances up to 200m away.**



**The sign and all accessories fit into the compact bespoke carry case.**



**UNIPAR SERVICES TEL:01892 549606**  
**email: admin@uniparservices.com**